



LED light is elegance

Classic design, innovative technology:
OSRAM PARATHOM[®] LED RETROFIT

Because for us, only better will do

Light is OSRAM





Our LED light has never looked better: PARATHOM® LED RETROFIT lamps

What happens when timeless design and innovative technology combine in perfect harmony? Modern lighting art! The new OSRAM PARATHOM® LED RETROFIT lamps cast an especially efficient and pleasant light on all surroundings and interiors, and – with their noble look & feel of classic bulb and reflector lamps – add a facet of their own to sophisticated interior design.



OSRAM PARATHOM® LED retrofit lamps are ideally suited for:

- Hotel rooms and corridors
- Lobbies and foyers
- Restaurants and bars
- Boutiques and offices
- Chandeliers and open light fixtures
- Home living areas and workspaces

Contemporary beauty in a classic design

Whether in a professional, commercial environment or a sophisticated private ambiance: The new PARATHOM® LED RETROFIT lamps offer elegant and impressive lighting solutions with a superb appearance for a variety of uses and application areas. They welcome guests and customers with a warm, pleasant lighting atmosphere (created by the warm white light color of 2,700K), enhancing design and architecture, and contribute to a modern stylish ambiance.



PARATHOM® LED RETROFIT Portfolio

PARATHOM® LED RETROFIT CLASSIC A

- A40/60
- Bulb-shape
- Color temperature 2,700 K
- Energy savings¹ of up to 90 %
- Lifespan of up to 15,000 h
- Available in clear filament and frosted versions
- CLASSIC A60 frosted: dimmable²
- Design, dimensions and luminous flux correspond to a comparable incandescent or halogen bulb
- Renaissance of the glass bulb
- Beam angle of up to 300°

- 01** | CLASSIC A clear filament: 40 W replacement
- 02** | CLASSIC A frosted: 40/60 W replacement

PARATHOM® LED RETROFIT CLASSIC B

- B25/37, BA/BW25
- Candle shape
- Color temperature 2,700 K
- Energy savings¹ of up to 90 %
- Lifespan of up to 15,000 h
- Available in clear filament and frosted versions
- Design, dimensions and luminous flux correspond to a comparable incandescent or halogen bulb
- Renaissance of the glass bulb
- Beam angle of up to 300°

- 03** | CLASSIC B clear filament: 25 W replacement
- 04** | CLASSIC B clear filament: 37 W replacement
- 05** | CLASSIC B frosted: 25 W replacement
- 06** | CLASSIC BA: 25 W replacement
- 07** | CLASSIC BW: 25 W replacement



PARATHOM® LED RETROFIT CLASSIC P

- P25/37
- Drop-shape
- Color temperature 2,700 K
- Energy savings¹ of up to 90 %
- Lifespan of up to 15,000 h
- Available in clear filament and frosted versions
- Design, dimensions and luminous flux correspond to a comparable incandescent or halogen bulb
- Renaissance of the glass bulb
- Beam angle of up to 300°

- 08/09** | CLASSIC P clear filament: 25 W replacement
- 10** | CLASSIC P clear filament: 37 W replacement
- 11** | CLASSIC P frosted: 25 W replacement

PARATHOM® LED RETROFIT PAR16

- PAR16 35/50
- Color temperature 2,700 K
- 230 and 345 lm
- Lifespan of up to 15,000 h
- Design, dimensions and luminous flux correspond to a comparable halogen bulb
- Renaissance of the glass bulb
- Beam angle of up to 36°

- 12** | PAR16 36°: 35 W replacement
- 13** | PAR16 36°: 50 W replacement

¹ Compared to conventional incandescent or halogen lamps

² LED lamps can be operated with a wide variety of commercially-available dimmers; details and results of compatibility tests can be seen at www.osram.com/dim and in the additional technical product information sheets linked there

OSRAM PARATHOM® LED RETROFIT

Item name	Product number (EAN)	W ¹	Replace-ment for	lm ¹	cd	K	R _a	$\frac{l}{d}$ [mm]	$\frac{e}{d}$ [mm]	t[h] ²		 No.
-----------	----------------------	----------------	------------------	-----------------	----	---	----------------	--------------------	--------------------	-------------------	---	---

OSRAM PARATHOM® LED RETROFIT CLASSIC A – E27, 220–240V, folding carton box

RETROFIT CL A40 clear filament	4052899941717	4	40 W	470	—	2,700	80	105	60	15,000	A++	01
RETROFIT CL A40 frosted	4052899941724	6	40 W	470	—	2,700	80	116	60	15,000	A+	02
RETROFIT CL A60 frosted	4052899941748	8	60 W	806	—	2,700	80	116	60	15,000	A+	02

OSRAM PARATHOM® LED RETROFIT CLASSIC A dimmable³ – E27, 220–240V, folding carton box

RETROFIT CL A60 frosted	4052899941731	8	60 W	806	—	2,700	80	116	60	15,000	A+	02
-------------------------	---------------	---	------	-----	---	-------	----	-----	----	--------	----	----

OSRAM PARATHOM® LED RETROFIT CLASSIC B – E14, 230V, folding carton box

RETROFIT CL B25 clear filament	4052899941755	2	23 W	230	—	2,700	80	99	35	15,000	A++	03
RETROFIT CL B25 frosted	4052899941762	3.2	25 W	250	—	2,700	80	98	35	15,000	A+	05
RETROFIT CL B37 clear filament	4052899941779	3.8	37 W	430	—	2,700	80	99	35	15,000	A++	04
RETROFIT CL BA25 clear filament	4052899941786	2	23 W	230	—	2,700	80	120	35	15,000	A++	06
RETROFIT CL BW25 clear filament	4052899941793	2	23 W	230	—	2,700	80	99	35	15,000	A++	07

OSRAM PARATHOM® LED RETROFIT CLASSIC P – E27, 230V, folding carton box

RETROFIT CL P25 clear filament	4052899941816	2	25 W	250	—	2,700	80	84	45	15,000	A++	08
--------------------------------	---------------	---	------	-----	---	-------	----	----	----	--------	-----	----

OSRAM PARATHOM® LED RETROFIT CLASSIC P – E14, 230V, folding carton box

RETROFIT CL P25 clear filament	4052899941809	2	23 W	230	—	2,700	80	84	45	15,000	A++	09
RETROFIT CL P37 clear filament	4052899941830	3.8	37 W	430	—	2,700	80	84	45	15,000	A++	10
RETROFIT CL P25 frosted	4052899941823	3.2	25 W	250	—	2,700	80	79	45	15,000	A+	11

OSRAM PARATHOM® LED RETROFIT PAR16 – GU10, 220–240V, 36°, folding carton box

RETROFIT PAR16 35	4052899941854	3.2	35 W	230	450	2,700	80	53	50	15,000	A++	12
RETROFIT PAR16 50	4052899941861	5.3	50 W	345	650	2,700	80	53	50	15,000	A+	13

¹ All technical parameters apply to the complete lamp. Due to the complex manufacturing process of light emitting diodes, the specified typical values of the LED parameters merely represent purely statistical variables. They do not necessarily correspond to the actual technical parameters or each individual product, which can deviate from the typical value

² L70/B50

³ LED lamps can be operated with a wide variety of commercially-available dimmers; details and results of compatibility tests can be seen at www.osram.com/dim and in the additional technical product information sheets linked there

Find the right lamp quickly – the smart way

The OSRAM Lamp Finder Professional as a free app

The new “OSRAM Lamp Finder Professional” app for Apple and Android smartphones and tablets helps professional users find just the right lamp to meet their requirement.

www.osram.com/lampfinder-app



Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.

Even more possibilities – our expanded LED overall portfolio

For each requirement the perfect choice

OSRAM offers you all important LED lamp types, shapes and wattages for nearly all uses and application areas. For more information, please visit us at:

www.osram.com/ledlamps

OSRAM GmbH

Head Office

Marcel-Breuer-Strasse 6
80807 Munich
Germany
Phone +49 (0)89-6213-0
Fax +49 (0)89-6213-20 20
www.osram.com

